

## TA300 Parts and Accessories

**Part Number: TA300CC**

**Hard Case for Carrying and Storage**

- **Included with TA300**
- Impact and chemical resistant polypropylene construction
- Foam padded interior
- Physical dimensions: 10" x 7.87" x 2.38"  
(254 x 200 x 60.5 mm)



**Part Number: TA100HR**

**Test Leads**

- **Included with TA300**
- Replacement rubber holster
- Made of durable synthetic rubber material
- Physical dimensions: 6" (H) x 4" (W) x 1.5" (D)  
(158 x 100 X 37 mm)
- Available in two colors: red or blue



**Part Number: TD101DSU6**

**Diesel Piezoelectric sensor for 6 mm and 1/4" fuel lines**

- **Included with TD101**
- Clamp style for quick hook up
- Aluminum body construction
- Spring loaded connector
- Fits 6 mm and 1/4" diameter fuel lines



**Part Number: [TD101DS1/4](#)**

***Diesel Piezoelectric sensor for 1/4" fuel lines***

- Clamp style for quick hook up
- Aluminum body construction
- Spring loaded connector
- High output design for noisy environments
- Fits 1/4" diameter fuel lines



**Optional accessory**

**Part Number: [TD101DS5](#)**

***Diesel Piezoelectric sensor for 5 mm fuel lines***

- Clamp style for quick hook up
- Aluminum body construction
- Spring loaded connector
- High output design for noisy environments
- Fits 5 mm diameter fuel lines



**Optional accessory**

**Part Number: [TD101DS6](#)**

***Diesel Piezoelectric sensor for 6 mm fuel lines***

- Clamp style for quick hook up
- Aluminum body construction
- Spring loaded connector
- High output design for noisy environments
- Fits 6 mm diameter fuel lines



**Optional accessory**

**Part Number: [TD101DS7](#)**

***Diesel Piezoelectric sensor for 7 mm fuel lines***

- Clamp style for quick hook up
- Aluminum body construction
- Spring loaded connector
- High output design for noisy environments
- Fits 7 mm diameter fuel lines



**Optional accessory**

**Part Number: [TD101DS8](#)**

***Diesel Piezoelectric sensor for 8 mm fuel lines***

- Clamp style for quick hook up
- Aluminum body construction
- Spring loaded connector
- High output design for noisy environments
- Fits 8 mm diameter fuel lines



**Optional accessory**